

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**

**AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (cancelled)
2. (currently amended) A soluble purified Phosphate Regulating Gene with Homologies to Endopeptidases on the X Chromosome enzyme (secPHEX) having the amino acid sequence as set forth in SEQ ID NO:1, wherein the modified so that amino acid residues located from position 27 to position 46 inclusively according to the numbering used in the sequence of SEQ ID NO: 1 have been replaced by the amino acid residues as set forth in of SEQ ID NO: 4.
- 3-5. (cancelled)
6. (currently amended) A mutant of the secPHEX of claim 42, consisting of a Phosphate Regulating Gene with Homologies to Endopeptidases on the X Chromosome enzyme having the glutamic acid residue at position 581 ~~according to the numbering used in the sequence of SEQ ID NO: 1~~ substituted with a valine residue.
- 7-12. (cancelled)
13. (previously amended) An antigenic composition, which comprises the secPHEX of claim 2.

14-19. (cancelled)

20. (previously amended) A composition comprising the secPHEX of claim 2 and a pharmaceutically acceptable carrier.

21. (previously amended) A composition comprising the secPHEX of claim 6 and a pharmaceutically acceptable carrier.

22-32. (cancelled)

33. (previously amended) A method for obtaining a Phosphate Regulating Gene with Homologies to Endopeptidases on the X Chromosome (PHEX) ligand which comprising the steps of:

- contacting a sample containing one or more molecules with a secPHEX as defined in claim 2 in conditions such that binding of said one or more molecules with PHEX can occur;
- detecting said binding as an indication of the presence of a PHEX ligand in said sample; and
- selecting said PHEX ligand.

34. (original) The method of claim 33, wherein said ligand is a PHEX inhibitor or substrate.

CRINE et al  
Appl. No. 09/913,955  
February 11, 2004

35-40 (cancelled).